# **MORNSUN®**

3000VAC isolation test voltage, EFD15, flyback transformer



### **FEATURES**

- 85 ~ 264VAC wide input voltage range
- EFD15 Bobbin
- Meets UL/EN 62368 standards

TILHE10-20BxxD transformer series feature with 3000VAC primary to secondary isolation, an operating ambient temperature range of -40° $\mathbb{C}$  ~ +110° $\mathbb{C}$ . It can be used with our control IC SCM1710ASA to achieve flyback power supply design with wide input volatge range and various protection functions and superior EMI performance.

Selection Guide							
Part No.	Input Voltage (VAC)	Output Voltage (VDC)	Output Current (mA)	Auxiliary Voltage (VDC)	Auxiliary Current (mA)	Typical Power (W)	Typical Operating Frequency (kHz)
TTLHE10-20B05D	85 ~ 264	5	2000	20.00	20	10	65
TTLHE10-20B12D	85 ~ 264	12	900	18.36	20	10	65

Note: Refer to Schematic for pins and phase points of the transformers.

	Electrical Specifications						
		Inductar	Inductance <sup>®</sup> (uH)		$DCR(m\Omega)$ Typ	K	
	Part No.	Input Inductance	Leakage Inductance Max.	N1	N2	N3	(Flux Density Factor) (Gauss/A)
	TTLHE10-20B05D	960.00±10%	60.00	2400	29	835	5299
	TTLHE10-20B12D	960.00±10%	60.00	2400	113	682	5299

Notes: ①The test signal of the inductance are 10kHz and 100mV, test the leakage inductance of N1 based on N2 and N3 are shorted;

@To ensure the transformer will not saturate in all of the applications and conditions, the peak flux density(Bm) should remain below 3000Gauss. Use the following formula to calculate the peak flux density: Bm=K\*lpk, lpk stands for the peak current of input, which unit is A;

③ Approximate transformer core loss(Pcv) can be calculated as following formula: Pcv=3.9E-14\*f<sup>1.82\*</sup>  $\triangle$  B<sup>2.59</sup>, the unit of Pcv is W, f stands for operating frequency, which unit is kHz,  $\triangle$ B is the operating flux density, which unit is Gauss.  $\triangle$ B can be calculated as:  $\triangle$ B=K\* $\triangle$ I.

Genera	l Specificatio	ons				
ltem	•	Operating Conditions	Min.	Тур.	Max.	Unit
la a lautia u	N1, N3 to N2	Electric Strength Test for 1 minute, leakage current <5mA	3000			VAC
Isolation	N1 to N3	Electric Strength Test for 1 minute, leakage current < 1mA	1000			VDC
Operating Temperature <sup>®</sup>			-40	-	+110	$^{\circ}$
Storage Temperature®			-40		+110	C
Storage Humidity		Non-condensing			95	%RH
Soldering Temperature		Wave-soldering	260 ± 5°C; time: 5 - 10s			
		Manual-welding	360 ± 10°C; time: 3 - 5s			

Notes: ①The temperature of the transformer (ambient plus temperature rise) should be within the operating temperature range;

3To meet the safety requirements, you need to use glue.


Mechanical Specifications					
Weight	TTLHE10-20B05D	5.00 c (T m.)			
	TTLHE10-20B12D	5.20g (Typ.)			

**MORNSUN®** 

MORNSUN GUANGZHOU SCIENCE & TECHNOLOGY CO.,LTD.


②The storage temperature of the transformer only.

Material Certi	ication	
Material	UL No.	
Bobbin	E41429	
Tape	E17385	
Wire 1	E253843	
Wire 2	E206440	
Varnish	E317427	
Glue	E250719	



#### **Dimensions and Recommended Layout**







#### Notes:

- 1. For additional information on Product Packaging please refer to www.mornsun-power.com. Packaging bag number: 58220095;
- 2. Unless otherwise specified, parameters in this datasheet were measured under the conditions of Ta=25°C, humidity<75%, 10kHz and 100mV;
- 3. All index testing methods in this datasheet are based on our company corporate standards;
- 4. We can provide product customization service, please contact our technicians directly for specific information;
- 5. Our products shall be classified according to ISO14001 and related environmental laws and regulations, and shall be handled by qualified units.

## Mornsun Guangzhou Science & Technology Co., Ltd.

Address: No. 5, Kehui St. 1, Kehui Development Center, Science Ave., Guangzhou Science City, Huangpu District, Guangzhou, P. R. China
Tel: 86-20-38601850 Fax: 86-20-38601272 E-mail: info@mornsun.cn www.mornsun-power.com

**MORNSUN®** 

MORNSUN GUANGZHOU SCIENCE & TECHNOLOGY CO.,LTD.