

**QQGQ2.E235235****Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component**[Page Bottom](#)**Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component**[See General Information for Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component](#)**MORNSUN GUANGZHOU SCIENCE & TECHNOLOGY LTD**

E235235

5 KEHUI ST 1 KEHUI DEVELOPMENT CENTER  
 SCIENCE AVE, GUANGZHOU SCIENCE CITY  
 LUOGANG DISTRICT  
 GUANGZHOU, GUANGDONG 510000 CHINA

Model No.	Rated Input		SC	Max Output				SP	EP	FC	GC
	Volts	Hz		V	A	VA	OC				
<b>A0505D-2WR2, E0505D-2WR2[*r]</b>	5Vdc	-	3	5Vdc	0.02-0.2	0.1-1	3	60950-1, 2nd Ed + AM1	-	0	0
				-5Vdc	-(0.02-0.2)	-(0.1-1)	3				
<b>A0505S-1WR2[*r]</b>	5dc	-	3	5dc	0.01-0.1	0.05-0.5	3	-	-	0	0
				-5dc	-(0.01-0.1)	0.05-0.5	3				
<b>A0505XT-1WR2[*r]</b>	dc	-	3	+5Vdc	10-100mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>A0509D-2WR2, E0509D-2WR2[*r]</b>	5Vdc	-	3	9Vdc	0.011-0.111	0.1-1	3	60950-1, 2nd Ed + AM1	-	0	0
				-9Vdc	-(0.011-0.111)	-(0.1-1)	3				
<b>A0509S-1WR2[*r]</b>	5dc	-	3	9dc	0.006-0.056	0.054- 0.504	3	-	-	0	0
				-9dc	-(0.006-0.056)	0.054- 0.504	3				

<b>A0509XT-1WR2[*r]</b>	5Vdc	-	3	+9Vdc	6-56mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>A0512D-2WR2, E0512D-2WR2[*r]</b>	5Vdc	-	3	12Vdc	0.008-0.083	0.1-1	3	60950-1, 2nd Ed + AM1	-	0	0
				-12Vdc	-(0.008-0.083)	-(0.1-1)	3				
<b>A0512S-1WR2[*r]</b>	5dc	-	3	12dc	0.005-0.042	0.06- 0.504	3	-	-	0	0
				-12dc	-(0.005-0.042)	0.06- 0.504	3				
<b>A0512XT-1WR2[*r]</b>	5Vdc	-	3	+12Vdc	5-42mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>A0515D-2WR2, E0515D-2WR2[*r]</b>	5Vdc	-	3	15Vdc	0.007-0.067	0.1-1	3	60950-1, 2nd Ed + AM1	-	0	0
				-15Vdc	-(0.007-0.067)	-(0.1-1)	3				
<b>A0515S-1WR2[*r]</b>	5dc	-	3	15dc	0.004-0.033	0.06- 0.495	3	-	-	0	0
				-15dc	-(0.004-0.033)	0.06- 0.495	3				
<b>A0515XT-1WR2[*r]</b>	5Vdc	-	3	+15Vdc	3-33mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>A0524D-2WR2, E0524D-2WR2[*r]</b>	5Vdc	-	3	24Vdc	0.004-0.042	0.1-1	3	60950-1, 2nd Ed + AM1	-	0	0
				-24Vdc	-(0.004-0.042)	-(0.1-1)	3				
<b>A0524S-1WR2[*r]</b>	5dc	-	3	24dc	0.002-0.021	0.05- 0.504	3	-	-	0	0
				-24dc	-(0.002-0.021)	0.05- 0.504	3				
<b>A0524XT-1WR2[*r]</b>	5Vdc	-	3	+24Vdc	2-21mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>A05XXS-2WR2, B05XXS-2WR2 (XX=05, 09, 12, 15, 24)[*r]</b>											
	5dc	-	3	-	-	-	-	60950-1, 2nd Ed	-	0	0

<b>A1205XT-1WR2, E1205XT-1WR2, E1205XT-1WAR2[*r]</b>											
	12Vdc	-	3	+/-5Vdc	0.01-0.1	0.1-1	-	60950-1, 2nd Ed + AM1+AM2	-	0	-
<b>A1209XT-1WR2, E1209XT-1WR2, E1209XT-1WAR2[*r]</b>											
	12Vdc	-	3	+/-9Vdc	0.006-0.056	0.1-1	-	60950-1, 2nd Ed + AM1+AM2	-	0	-
<b>A1212XT-1WR2, E1212XT-1WR2, E1212XT-1WAR2[*r]</b>											
	12Vdc	-	3	+/-12Vdc	0.005-0.042	0.1-1	-	60950-1, 2nd Ed + AM1+AM2	-	0	-
<b>A1215XT-1WR2, E1215XT-1WR2, E1215XT-1WAR2[*r]</b>											
	12Vdc	-	3	+/-15Vdc	0.003-0.033	0.1-1	-	60950-1, 2nd Ed + AM1+AM2	-	0	-
<b>A1224XT-1WR2, E1224XT-1WR2, E1224XT-1WAR2[*r]</b>											
	12Vdc	-	3	+/-24Vdc	0.002-0.021	0.1-1	-	60950-1, 2nd Ed + AM1+AM2	-	0	-
<b>A12XXD-2WR2, B12XXD-2WR2, E12XXD-2WR2 (XX=05, 09, 12, 15, 24 for output voltage)</b>											
	12dc	-	3	30.07dc	0.82	4.3	3	60950-1, 2nd Ed + AM1	-	0	0
<b>A12XXS-2WR2, B12XXS-2WR2 (XX=03, 05, 09, 12, 15, 24 for output voltage)</b>											
	5dc	-	3	30.08dc	0.87	4.5	3	60950-1, 2nd Ed + AM1	-	0	0
<b>A12XXY-1WR2, E12XXY-1WR2, F12XXY-1WR2, B12XXY-1WR2 (**)[*r]</b>											
	12Vdc	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	1	0
<b>A1515S-1WR2[*r]</b>	13.5-16.5dc	-	3	15dc	0.034A	-	3	60950-1, 2nd Ed+AM1+AM2	--	0	0
				-15dc	0.034A	-	3				
<b>A2405XT-1WR2, E2405XT-1WR2, E2405XT-1WAR2</b>											
	24dc	-	3	+5.2dc	0.7	3.3	3	60950-1, 2nd Ed + AM1	N/A	0	-

				-5.2dc	0.7	3.3	3				
<b>A2409XT-1WR2, E2409XT-1WR2, E2409XT-1WAR2</b>											
	24dc	-	3	+9.12dc	0.5	3.8	3	60950-1, 2nd Ed + AM1	N/A	0	-
				-9.12dc	0.5	3.8	3				
<b>A2412XT-1WR2, E2412XT-1WR2, E2412XT-1WAR2[*r]</b>											
	24dc	-	3	+12dc	0.042	0.5	3	60950-1, 2nd Ed + AM1	N/A	0	-
				-12dc	0.042	0.5	3				
<b>A2415XT-1WR2, E2415XT-1WR2, E2415XT-1WAR2[*r]</b>											
	24dc	-	3	+15dc	0.033	0.5	3	60950-1, 2nd Ed + AM1	N/A	0	-
				-15dc	0.033	0.5	3				
<b>A2424XT-1WR2, E2424XT-1WR2, E2424XT-1WAR2[*r]</b>											
	24dc	-	3	+24.44dc	0.15	3.5	3	60950-1, 2nd Ed + AM1	N/A	0	-
				-24.44dc	0.15	3.5	3				
<b>A24XXD-2WR2, B24XXD-2WR2, E24XXD-2WR2 (XX=05, 09, 12, 15, 24 for output voltage)</b>											
	24dc	-	3	29.80dc	0.9	6.1	3	60950-1, 2nd Ed + AM1	-	0	0
<b>A24XXS-2WR2, B24XXS-2WR2 (XX=05, 09, 12, 15, 24 for output voltage)</b>											
	24dc	-	3	29.92dc	0.99	4.5	3	60950-1, 2nd Ed + AM1	-	0	0
<b>A24YYs-1WR2, B24YYLS-1WR2, E24YYs-1WR2, F24YYs-1WR2 (YY=05, 09, 12, 15, 24 for output voltage)</b>											
	24dc	-	3	29.73dc	0.78	6.1	3	60950-1, 2nd Ed + AM1	-	0	0
<b>AXXYT-1W (#)</b>	-	-	-	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	1
<b>AXYYZ1-1W (#)[*r]</b>	-	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	0

<b>AXXYZ1-2W (#)[*r]</b>	-	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	0
<b>B0303S-W2R2, B0305S-W2R2</b>	3.3 (2.97-3.63)dc	-	3	3.97dc	0.236	0.5	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>B0303T-1W, B0303XT-1W</b>	3.3dc	-	-	3.3	0.303	1	-	60950-1, 2nd Ed + AM1	-	-	-
<b>B0305S-1WR2[*r]</b>	3.3dc	-	3	7.06dc	0.46	2.0	3	-	-	0	0
<b>B0305S-W5</b>	3.3dc	-	3	-	-	-	3	60950-1	20B	0	0
<b>B0305T-1W, B0305XT-1W</b>	3.3dc	-	-	5dc	0.2	1	-	60950-1, 2nd Ed + AM1	-	-	-
<b>B0309T-1W, B0309XT-1W</b>	3.3dc	-	-	9dc	0.111	1	-	60950-1, 2nd Ed + AM1	-	-	-
<b>B0312S-1WR2[*r]</b>	3.3dc	-	3	13.12dc	0.215	2.3	3	-	-	0	0
<b>B0503S-W2R2, B0505S-W2R2, B0512S-W2R2</b>											
	5 (4.5-5.5)dc	-	3	-	-	-	-	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				13.47dc	0.106	1.25	3				
<b>B0503T-1W</b>	-	-	-	3.32dc	0.75	2.54	3	60950-1, 2nd Ed + AM1	0.35	0	0
<b>B0503XT-1W</b>	-	-	-	3.32dc	0.75	2.54	3	60950-1, 2nd Ed + AM1	0.35	0	0
<b>B0505D-1WR2[*r]</b>	5Vdc	-	3	5dc	0.02-0.2	0.1-1	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B0505D-2WR2[*r]</b>	5Vdc	-	3	5Vdc	0.04-0.4	0.2-2	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B0505LS-1WR2[*r]</b>	5dc	-	3	5dc	0.02-0.2	0.1-1	3	-	-	0	0
<b>B0505S-1WR2</b>	5dc	-	3	6.81dc	0.47	1.9	3	-	-	0	0
<b>B0505XT-1W</b>	-	-	-	4.94dc	0.55	18.3	3	60950-1, 2nd Ed + AM1	0.35	0	0
<b>B0509D-1WR2[*r]</b>	5Vdc	-	3	9dc	0.012-0.111	0.108-0.999	3	60950-1, 2nd Ed + AM1	-	0	0

<b>B0509D-2WR2[*r]</b>	5Vdc	-	3	9Vdc	0.022-0.222	0.2-2	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B0509LS-1WR2[*r]</b>	5dc	-	3	9dc	0.011-0.111	0.099-0.999	3	-	-	0	0
<b>B0509S-1WR2</b>	5dc	-	3	9.75dc	0.33	2.1	3	-	-	0	0
<b>B0509XT-1W</b>	-	-	-	9.11dc	0.45	1.76	3	60950-1, 2nd Ed + AM1	0.35	0	0
<b>B0512D-1WR2[*r]</b>	5Vdc	-	3	12dc	0.09-0.084	0.108-1.008	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B0512D-2WR2[*r]</b>	5Vdc	-	3	12Vdc	0.017-0.167	0.2-2	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B0512LS-1WR2[*r]</b>	5dc	-	3	12dc	0.009-0.083	0.108-0.996	3	-	-	0	0
<b>B0512S-1WR2</b>	5dc	-	3	15.73dc	0.212	2.0	3	-	-	0	0
<b>B0515D-1WR2[*r]</b>	5Vdc	-	3	15dc	0.07-0.067	0.105-1.005	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B0515D-2WR2[*r]</b>	5Vdc	-	3	15Vdc	0.013-0.133	0.2-2	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B0515LS-1WR2[*r]</b>	5dc	-	3	15dc	0.007-0.067	0.105-1.005	3	-	-	0	0
<b>B0515S-1WR2</b>	5dc	-	3	15.73dc	0.212	2.0	3	-	-	0	0
<b>B0524D-1WR2[*r]</b>	5Vdc	-	3	24dc	0.04-0.042	0.096-1.008	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B0524D-2WR2[*r]</b>	5Vdc	-	3	24Vdc	0.008-0.083	0.2-2	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B0524LS-1WR2[*r]</b>	5dc	-	3	24dc	0.005-0.042	0.12-1.008	3	-	-	0	0
<b>B0524S-1WR2</b>	5dc	-	3	28.13dc	0.128	2.3	3	-	-	0	0
<b>B1205S-1WR2[*r]</b>	12dc	-	3	5Vdc	0.2	1	3	60950-1, 2nd Ed + AM1	--	0	0
<b>B1205S-W2R2</b>	12 (10.8-13.2)dc	-	3	5.7dc	0.467	1.6	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0

<b>B1209S-1WR2[*r]</b>	12dc	-	3	9Vdcdc	0.111	1	3	60950-1, 2nd Ed + AM1	--	0	0
<b>B1212S-1WR2[*r]</b>	12dc	-	3	12Vdcdc	0.084	1	3	60950-1, 2nd Ed + AM1	--	0	0
<b>B1215S-1WR2[*r]</b>	12dc	-	3	15Vdcdc	0.067	1	3	60950-1, 2nd Ed + AM1	--	0	0
<b>B1224S-1WR2[*r]</b>	12dc	-	3	24Vdcdc	0.042	1	3	60950-1, 2nd Ed + AM1	--	0	0
<b>B12XXD-1WR2 (XX=05, 09, 12, 15 for output voltage)</b>											
	5dc	-	3	6.42dc	0.77	3.3	3	60950-1, 2nd Ed + AM1	-	0	0
				11.38dc	0.42	3.0	3				
				15.06dc	0.25	2.5	3				
				18.87dc	0.15	2.5	3				
<b>B1505S-W2R2</b>	15 (13.5-16.5)dc	-	3	5.64dc	0.467	1.6	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>B2405D-1WR2[*r]</b>	24Vdc	-	3	5dc	0.02-0.2	0.1-1	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B2405S-1WR2, B2409S-1WR2, B2412S-1WR2, B2415S-1WR2, B2424S-1WR2</b>											
	24dc	-	3	24.58dc	0.94	4.5	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B2405S-W2R2, B2409S-W2R2</b>	24 (21.6-26.4)dc	-	3	10.11dc	0.191	1.7	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>B2409D-1WR2[*r]</b>	24Vdc	-	3	9Vdc	0.12-0.111	0.108-0.999	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B2412D-1WR2[*r]</b>	24Vdc	-	3	12Vdc	0.009-0.084	0.108-1.008	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B2415D-1WR2[*r]</b>	24Vdc	-	3	15Vdc	0.007-0.067	0.105-1.005	3	60950-1, 2nd Ed + AM1	-	0	0
<b>B2424D-1WR2[*r]</b>	24Vdc	-	3	24Vdc	0.004-0.042	0.096-1.008	3	60950-1, 2nd Ed + AM1	-	0	0
<b>BXXYYT-1W (#)</b>	-	-	3	-	-	-	-	60950-1, 2nd	20B	0	0

								Ed + AM1			
<b>BXXYYZ2-1W (#)</b>	-	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	0
<b>BXXYYZ2-2W (#)</b>	-	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	0
<b>DXXYYYYZ3-1W (#1)</b>	-	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	0
<b>DXXYYYYZ3-2W (#1)</b>	-	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	0
<b>E0505S-1WR2[*r]</b>	5dc	-	3	5dc	0.01-0.1	0.05-0.5	3	-	-	0	0
				-5dc	-(0.01-0.1)	0.05-0.5	3				
<b>E0505XT-1WAR2[*r]</b>	5Vdc	-	3	+5Vdc	10-100mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>E0505XT-1WR2[*r]</b>	5Vdc	-	3	+5Vdc	10-100mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>E0509S-1WR2[*r]</b>	5dc	-	3	9dc	0.006-0.056	0.054- 0.504	3	-	-	0	0
				-9dc	-(0.006-0.056)	0.054- 0.504	3				
<b>E0509XT-1WAR2[*r]</b>	5Vdc	-	3	+5Vdc	10-100mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>E0509XT-1WR2[*r]</b>	5Vdc	-	3	+5Vdc	10-100mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>E0512S-1WR2[*r]</b>	5dc	-	3	12dc	0.005-0.042	0.06- 0.504	3	-	-	0	0
				-12dc	-(0.005-0.042)	0.06- 0.504	3				
<b>E0512XT-1WAR2[*r]</b>	5Vdc	-	3	+5Vdc	10-100mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>E0512XT-1WR2[*r]</b>	5Vdc	-	3	+5Vdc	10-100mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>E0515S-1WR2[*r]</b>	5dc	-	3	15dc	0.004-0.033	0.06- 0.495	3	-	-	0	0



				-15dc	-(0.004-0.033)	0.06-0.495	3				
<b>E0515XT-1WAR2[*r]</b>	5Vdc	-	3	+15Vdc	3-33mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>E0515XT-1WR2[*r]</b>	5Vdc	-	3	+15Vdc	3-33mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>E0524S-1WR2[*r]</b>	5dc	-	3	24dc	0.002-0.021	0.05-0.504	3	-	-	0	0
				-24dc	-(0.002-0.021)	0.05-0.504	3				
<b>E0524XT-1WAR2[*r]</b>	5Vdc	-	3	+24Vdc	2-21mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>E0524XT-1WR2[*r]</b>	5Vdc	-	3	+24Vdc	2-21mA	0.1-1W	-	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>E05xxS-2WR2, F05xxS-2WR2 (xx=05, 09, 12, 15, 24 for output voltage)</b>											
	5dc	-	3	30.61dc	1.22	5.6	3	60950-1, 2nd Ed + AM1	-	0	0
<b>E12XXS-2WR2, F12XXS-2WR2 (xx=05, 09, 12, 15, 24 for output voltage)</b>											
	12dc	-	3	30.63dc	0.90	6.4	3	60950-1, 2nd Ed + AM1	-	0	0
<b>E24XXS-2WR2, F24XXS-2WR2 (xx=05, 09, 12, 15, 24 for output voltage)</b>											
	24dc	-	3	29.97dc	0.90	4.7	3	60950-1, 2nd Ed + AM1	-	0	0
<b>EXXYT-1W (#)</b>	-	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	0
<b>EXXYZ-1W, EXXYZ-2W (Where XX - represents the DC input voltage, 05 is 5 V dc; 12 is 12 V dc; 24 is 24 Vdc) (a)</b>											
	12dc	-	3	-	-	-	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>F05**XT-1WR2, B05**XT-1WR2 (Where ** = 03,05,06,07,09,12,15,24 for output voltage)[*r]</b>											
	5dc	-	3	3.3 - 24Vdc	4.1 - 303mA	0.1 - 1W	3	60950-1, 2nd Ed + AM1	20T	0	0

<b>F0505D-2WR2, F0509D-2WR2, F0512D-2WR2, F0515D-2WR2, F0524D-2WR2[*r]</b>											
	5Vdc	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	0
<b>F0505S-1WR2[*r]</b>	5dc	-	3	5dc	0.02-0.2	0.1-1	3	-	-	0	0
<b>F0509S-1WR2[*r]</b>	5dc	-	3	9dc	0.011-0.111	0.099-0.999	3	-	-	0	0
<del><b>F0512S-1WR2[*r]</b></del>	<del>5dc</del>		<del>3</del>	<del>12dc</del>	<del>0.009-0.083</del>	<del>0.108-0.996</del>	<del>3</del>			<del>0</del>	<del>0</del>
<b>F0515S-1WR2[*r]</b>	5dc	-	3	15dc	0.007-0.067	0.105-1.005	3	-	-	0	0
<b>F0524S-1WR2[*r]</b>	5dc	-	3	24dc	0.005-0.042	0.12-1.008	3	-	-	0	0
<b>F1205D-2WR2[*r]</b>	12Vdc	-	3	5Vdc	0.04-0.4	0.2-2	3	60950-1, 2nd Ed + AM1	-	0	0
<b>F1209D-2WR2[*r]</b>	12Vdc	-	3	9Vdc	0.022-0.222	0.198-1.998	3	60950-1, 2nd Ed + AM1	-	0	0
<b>F1212D-2WR2[*r]</b>	12dc	-	3	12Vdc	0.017-0.167	0.204-2.004	3	60950-1, 2nd Ed + AM1	-	0	0
<b>F1215D-2WR2[*r]</b>	12Vdc	-	3	15Vdc	0.013-0.133	0.195-1.995	3	60950-1, 2nd Ed + AM1	-	0	0
<b>F1224D-2WR2[*r]</b>	12Vdc	-	3	24Vdc	0.008-0.083	0.192-1.992	3	60950-1, 2nd Ed + AM1	-	0	0
<b>F1515D-1WR2</b>	13.5-16.5dc	-	3	15dc	0.067	1.005	3	60950-1, 2nd Ed+AM1+AM2	-	0	0
<b>F24XXD-2WR2 (XX=05, 09, 12, 15, 24 for output voltage)</b>											
	24dc	-	3	29.93dc	1.15	5.4	3	60950-1, 2nd Ed + AM1	-	0	0
<b>FXXYYT-1W (#), F0506T-180</b>	-	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	0
<b>FXXYYXT-1WR2, BXXYYXT-1WR2 (&amp;)</b>											
	3.3-24Vdc	-	3	4.57-29.63dc	0.19-0.762	2.1-5.0	3	60950-1, 2nd Ed + AM1	-	0	0

<b>FXXYYZ-1W, FXXYYZ-2W (Where XX - represents the DC input voltage, 05 is 5 V dc; 12 is 12 V dc; 24 is 24 Vdc) (b)</b>											
	5dc	-	3	-	-	-	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>G1212S-1W</b>	12dc	-	3	+11.99dc	0.227	2.27	3	60950-1, 2nd Ed+AM1+AM2	N/A	0	0
				-11.99dc	0.227	2.27	3				
<b>G1212S-2W</b>	12dc	-	3	+11.99dc	0.20	2.31	3	60950-1, 2nd Ed+AM1+AM2	N/A	0	0
				-11.99dc	0.20	2.31	3				
<b>GXXYYZ-1W, GXXYYZ-2W (Where XX - represents the DC input voltage, 05 is 5 V dc; 12 is 12 V dc) (a1)</b>											
	12dc	-	3	-	-	-	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>H0505S-1W</b>	5dc	-	-	5dc	0.2	1	-	60950-1, 2nd Ed + AM1	-	-	-
<b>H0509S-1W</b>	5dc	-	-	9dc	0.111	1	-	60950-1, 2nd Ed + AM1	-	-	-
<b>H0512S-1W</b>	5dc	-	-	12dc	0.084	1	-	60950-1, 2nd Ed + AM1	-	-	-
<b>H0515S-1W</b>	5dc	-	-	15dc	0.067	1	-	60950-1, 2nd Ed + AM1	-	-	-
<b>H1205S-1W[*r]</b>	12dc	-	3	5dc	0.2	1	3	60950-1, 2nd Ed + AM1	20B	0	--
<b>H1209S-1W[*r]</b>	12dc	-	3	9dc	0.111	1	3	60950-1, 2nd Ed + AM1	20B	0	--
<b>H1212S-1W[*r]</b>	12dc	-	3	12dc	0.084	1	3	60950-1, 2nd Ed + AM1	20B	0	--
<b>H1215S-1W[*r]</b>	12dc	-	3	15dc	0.067	1	3	60950-1, 2nd Ed + AM1	20B	0	--
<b>H2409S-2W[*r]</b>	24dc	-	4	9dc	0.222	1.998	3	60950-1, 2nd Ed + AM1	-	0	0
<b>H2409S-2W-GM</b>	24dc	-	3	9.645dc	0.450	3.720	3	60950-1, 2nd Ed + AM1	N/A	0	-

<b>HXXYYZ-1W , HXXYYZ-2W (Where XX - represents the DC input voltage, 05 is 5 V dc; 12 is 12 V dc) (b1)</b>											
	12dc	-	3	-	-	-	-	60950-1, 2nd Ed + AM1	20B	0	0
<b>K7801-2000, K7801-2000L</b>	4.75-18dc	-	3	1.525dc	3.5	3.29	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>K7802-2000, K7802-2000L</b>	4.75-18dc	-	3	2.536dc	2.9	7.13	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>K7803-2000, K7803-2000L</b>	4.75-18dc	-	3	3.301dc	3.3	9.06	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>K7803-500R3, K7805-500R3, K7809-500R3, K7812-500R3, K7815-500R3</b>											
	4.75dc	-	3	15.04dc	0.74	15.5	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				12.11dc	0.78	13.0	3				
				5.01dc	0.84	4.1	3				
<b>K7804-2000, K7804-2000L</b>	6-18dc	-	3	3.657dc	2.9	8.94	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>K7805-2000, K7805-2000L</b>	7-18dc	-	3	5.072dc	2.7	12.53	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>K78LXX-500R3 (XX=03, 05, 09, 12, 15 for output voltage.)</b>											
	4.75-36dc	-	3	14.98dc	0.83	11.9	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				11.97dc	0.85	9.9	3				
				4.99dc	1.07	5.1	3				
<b>K78Lxx-1000R3 where (xx = 03, 05, 12 and 15 which represent different rating)</b>											
	6.0-36.0Vdc	-	3	model: K78L05-1000R3	-	-	-	60950-1, 2nd Ed+AM1+AM2	-	0	0
				5.01dc	2.25	10.6	3				
				5.02dc	1.88	8.0	3				
				K78L12-1000R3	-	-	-				
				11.95dc	2.1	24.1	3				

				11.94dc	1.47	16.8	3				
				model: K78L15-1000R3	-	-	-				
				15.13dc	1.7	25.4	3				
				15.11dc	1.4	17.5	3				
<b>K78X2-2000, K78X2-2000L</b>	4.75-18dc	-	3	1.848dc	3.1	5.41	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>K78X6-2000, K78X6-2000L</b>	8.5-18dc	-	3	6.536dc	2.7	16.52	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>K78XX-1000R3(L) where (XX = 03, 05, 09, 12 and 15 which represent different rating)</b>											
	8.0-36.0dc	-	3	-	-	-	-	60950-1, 2nd Ed+AM1+AM2	--	0	0
				model: K7805-1000R3(	-	-	-				
				5.02dc	2.47	11.1	3				
				5.02dc	2.0	9.1	3				
				model: K7809-1000R3(dc	-	-	-				
				9.03dc	2.37	20.4	3				
				model: K7812-1000R3(	-	-	-				
				11.97dc	2.35	27.5	3				
				11.97dc	1.3	15.0	3				
				model: K7815-1000R3(	-	-	-				
				15.06dc	2.3	33.3	3				
				15.06dc	1.13	16.4	3				
<b>K78XX-500R3 (XX=03, 05, 09, 12, 15 for output voltage.)</b>											
	4.75-36dc	-	3	15.04dc	0.74	15.5	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0

				12.11dc	0.78	13.0	3				
				5.01dc	0.84	4.1	3				
<b>LB05-10A05[*r]</b>	100-240ac	50-60	3	5dc	0.5	2.5	3	60950-1	20B	0	1
				-5dc	0.5	2.5	3				
<b>LB05-10A12[*r]</b>	100-240ac	50-60	3	12dc	0.21	2.52	3	60950-1	20B	0	1
				-12dc	0.21	2.52	3				
<b>LB05-10A15[*r]</b>	100-240ac	50-60	3	15dc	0.17	2.55	3	60950-1	20B	0	1
				-15dc	0.17	2.55	3				
<b>LB05-10A24[*r]</b>	100-240ac	50-60	3	24dc	0.1	2.4	3	60950-1	20B	0	1
				-24dc	0.1	2.4	3				
<b>LB05-10B03[*r]</b>	100-240ac	50-60	3	3.3dc	1.5	4.95	3	60950-1	20B	0	1
<b>LB05-10B03LT</b>	100-240ac	50-60	3	3.3dc	1.25	4.125	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB05-10B05[*r]</b>	100-240ac	50-60	3	5dc	1	5	3	60950-1	20B	0	1
<b>LB05-10B05LT</b>	100-240ac	50-60	3	5.0dc	1.0	5.0	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB05-10B09[*r]</b>	100-240ac	50-60	3	9dc	0.6	5.4	3	60950-1	20B	0	1
<b>LB05-10B09LT</b>	100-240ac	50-60	3	9.0dc	0.55	4.95	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB05-10B12[*r]</b>	100-240ac	50-60	3	12dc	0.45	5.4	3	60950-1	20B	0	1
<b>LB05-10B12LT</b>	100-240ac	50-60	3	12.0dc	0.42	5.04	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB05-10B15[*r]</b>	100-240ac	50-60	3	15dc	0.35	5.25	3	60950-1	20B	0	1
<b>LB05-10B15LT</b>	100-240ac	50-60	3	15.0dc	0.33	4.95	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB05-10B24[*r]</b>	100-240ac	50-60	3	24dc	0.23	5.52	3	60950-1	20B	0	1
<b>LB05-10B24LT</b>	100-240ac	50-60	3	24.0dc	0.23	5.52	3	60950-1, 2nd Ed + AM1	20B	0	0

<b>LB05-10D0505-01[*r]</b>	100-240ac	50-60	3	5dc	0.9	4.5	3	60950-1	20B	0	1
				5dc	0.1	0.5	3				
<b>LB05-10D0512-01[*r]</b>	100-240ac	50-60	3	5dc	0.75	3.75	3	60950-1	20B	0	1
				12dc	0.1	1.2	3				
<b>LB05-10D0515-01[*r]</b>	100-240ac	50-60	3	5dc	0.7	3.5	3	60950-1	20B	0	1
				15dc	0.1	1.5	3				
<b>LB05-10D0524-01[*r]</b>	100-240ac	50-60	3	5dc	0.6	3	3	60950-1	20B	0	1
				24dc	0.1	2.4	3				
<b>LB10-10B03LT[*r]</b>	100-240Vac	50-60	0	3.3Vdc	0-2.0A	0-6.6	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB10-10B05LT[*r]</b>	100-240Vac	50-60	0	5Vdc	0-2.0A	0-10.0	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB10-10B09LT[*r]</b>	100-240Vac	50-60	0	9Vdc	0-1.1A	0-9.9	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB10-10B12LT[*r]</b>	100-240Vac	50-60	0	12Vdc	0-0.9A	0-10.8	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB10-10B15LT[*r]</b>	100-240Vac	50-60	0	15Vdc	0-0.7A	0-10.5	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB10-10B24LT[*r]</b>	100-240Vac	50-60	0	24Vdc	0-0.45A	0-10.8	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB15-10B03[*r]</b>	100-240ac	50/60	3	3.3dc	3.5	11.55	3	60950-1, 2nd Ed	20B	0	1
<b>LB15-10B05[*r]</b>	100-240ac	50/60	3	5dc	3.0	15	3	60950-1, 2nd Ed	20B	0	1
<b>LB15-10B09[*r]</b>	100-240ac	50/60	3	9dc	1.6	14.4	3	60950-1, 2nd Ed	20B	0	1
<b>LB15-10B12[*r]</b>	100-240ac	50/60	3	12dc	1.25	15	3	60950-1, 2nd Ed	20B	0	1

<b>LB15-10B15[*r]</b>	100-240ac	50/60	3	15dc	1.0	15	3	60950-1, 2nd Ed	20B	0	1
<b>LB15-10B24[*r]</b>	100-240ac	50/60	3	24dc	0.625	15	3	60950-1, 2nd Ed	20B	0	1
<b>LB15-10BXXLT, LH15-13BXX, LH15-10BXX, LB10-10BXX (XX=03, 05, 09, 12, 15, 24, 48 for output voltage)</b>											
	100-240ac	50/60	0	48.65dc	5.060	21.233	4	60950-1, 2nd Ed + AM1	20B	0	0
<b>LB20-10B03LT[*r]</b>	100-240ac	50-60	3	3.3dc	4.1	13.53	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB20-10B05LT[*r]</b>	100-240ac	50-60	3	5dc	3.5	17.5	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB20-10B09LT[*r]</b>	100-240ac	50-60	3	9dc	2.1	18.9	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB20-10B12LT[*r]</b>	100-240ac	50-60	3	12dc	1.6	19.2	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB20-10B15LT[*r]</b>	100-240ac	50-60	3	15dc	1.3	19.5	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB20-10B24LT[*r]</b>	100-240ac	50-60	3	24dc	0.85	20.4	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB25-10B03LT[*r]</b>	100-240ac	50-60	3	3.3dc	4.1	13.53	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB25-10B05LT[*r]</b>	100-240ac	50-60	3	5dc	4.1	20.5	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB25-10B09LT[*r]</b>	100-240ac	50-60	3	9dc	2.5	22.5	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB25-10B12LT[*r]</b>	100-240ac	50-60	3	12dc	2.1	25.2	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB25-10B15LT[*r]</b>	100-240ac	50-60	3	15dc	1.6	24	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB25-10B24LT[*r]</b>	100-240ac	50-60	3	24dc	1.1	26.4	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>LB25-10B48LT[*r]</b>	100-240ac	50-60	3	48dc	0.5	24	3	60950-1, 2nd Ed + AM1	20B	0	1



<b>LD01-10B03[*r]</b>	85-305ac	50/60	0	3.3dc	0.3	1	3	60950-1	20B	0	2
<b>LD01-10B05[*r]</b>	85-305ac	50/60	0	5dc	0.2	1	3	60950-1	20B	0	2
<b>LD01-10B05R2-F[*r]</b>	100-240ac	50-60	0	5.0dc	0.2	1.0	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2
<b>LD01-10B09[*r]</b>	85-305ac	50/60	0	9dc	0.111	1	3	60950-1	20B	0	2
<b>LD01-10B12[*r]</b>	85-305ac	50/60	0	12dc	0.083	1	3	60950-1	20B	0	2
<b>LD01-10B15[*r]</b>	85-305ac	50/60	0	15dc	0.067	1	3	60950-1	20B	0	2
<b>LD01-10B24[*r]</b>	85-305ac	50/60	0	24dc	0.042	1	3	60950-1	20B	0	2
<b>LD02-10B03</b>	85-305ac	50/60	0	3.32dc	0.975	2.817	3	60950-1	20B	0	2
<b>LD02-10B05[*r]</b>	85-305ac	50/60	0	5dc	0.4	2	3	60950-1	20B	0	2
<b>LD02-10B09[*r]</b>	85-305ac	50/60	0	9dc	0.222	2	3	60950-1	20B	0	2
<b>LD02-10B12</b>	85-305ac	50/60	0	12.09dc	0.281	3.357	3	60950-1	20B	0	2
<b>LD02-10B15[*r]</b>	85-305ac	50/60	0	15dc	0.133	2	3	60950-1	20B	0	2
<b>LD02-10B24</b>	85-305ac	50/60	0	24.37dc	0.127	3.03	3	60950-1	20B	0	2
<b>LD03-10B03[*r]</b>	100-240ac	50-60	3	3.3dc	0.700	2.3	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD03-10B03R2[*r]</b>	100-240Vac	50-60	3	3.3dc	0.7	2.31	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD03-10B05[*r]</b>	100-240ac	50-60	3	5dc	0.600	3	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD03-10B05R2[*r]</b>	100-240Vac	50-60	3	5dc	0.6	3	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD03-10B09[*r]</b>	100-240ac	50-60	3	9dc	0.330	3	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD03-10B09R2[*r]</b>	100-240Vac	50-60	3	9dc	0.33	2.97	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD03-10B12[*r]</b>	100-240ac	50-60	3	12dc	0.250	3	3	60950-1	20B	0	2
<b>LD03-10B12R2[*r]</b>	100-240Vac	50-60	3	12dc	0.25	3	3	60950-1, 2nd Ed + AM1	20B	0	0

<b>LD03-10B15[*r]</b>	100-240ac	50-60	3	15dc	0.200	3	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD03-10B15R2[*r]</b>	100-240Vac	50-60	3	15dc	0.2	3	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD03-10B24[*r]</b>	100-240ac	50-60	3	24dc	0.125	3	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD03-10B24R2[*r]</b>	100-240Vac	50-60	3	24dc	0.125	3	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD05-20B03</b>	100-240ac	50-60	0	3.6dc	3.65	7.4	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD05-20B05[*r]</b>	100-240ac	50-60	0	5dc	1	5	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD05-20B09[*r]</b>	100-240ac	50-60	0	9dc	0.555	5	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD05-20B12</b>	100-240ac	50-60	0	13.8dc	1.6	12.7	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD05-20B15[*r]</b>	100-240ac	50-60	0	15dc	0.333	5	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD05-20B24</b>	100-240ac	50-60	0	24.9dc	0.736	17.9	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD05-23B03[*r]</b>	100-277ac	50-60	0	3.3dc	1.25	4.125	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD05-23B05[*r]</b>	100-277ac	50-60	0	5dc	1.0	5	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD05-23B09[*r]</b>	100-277ac	50-60	0	9dc	0.55	4.95	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD05-23B12[*r]</b>	100-277ac	50-60	0	12dc	0.42	5.04	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD05-23B15[*r]</b>	100-277ac	50-60	0	15dc	0.333	4.995	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD05-23B24[*r]</b>	100-277ac	50-60	0	24dc	0.23	5.52	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LD10-20B03</b>	100-240ac	50/60	0	3.35dc	3.74	8.76	3	60950-1, 2nd Ed + AM1	20B	0	2

<b>LD10-20B05</b>	100-240ac	50/60	0	4.99dc	4.489	14.31	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD10-20B09[*r]</b>	100-240ac	50/60	0	9dc	1.1	9.9	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD10-20B12, LD10-20B12K</b>	100-240ac	50/60	0	12.01dc	2.105	19.6	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD10-20B15[*r]</b>	100-240ac	50/60	0	15dc	0.7	10.5	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD10-20B24</b>	100-240ac	50/60	0	23.95dc	1.18	15.98	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>LD12-20B03[*r]</b>	100-240ac	50/60	0	3.3dc	2.4	7.92	3	60950-1	20B	0	2
<b>LD12-20B05</b>	100-240ac	50/60	0	4.99dc	3.94	18.3	3	60950-1	20B	0	2
<b>LD12-20B12[*r]</b>	100-240ac	50/60	0	12dc	1	12	3	60950-1	20B	0	2
<b>LD12-20B15[*r]</b>	100-240ac	50/60	0	15dc	0.8	12	3	60950-1	20B	0	2
<b>LD12-20B24</b>	100-240ac	50/60	0	23.9dc	0.98	23.4	3	60950-1	20B	0	2
<b>LD20-10B03[*r]</b>	100 - 240 Vac	50-60	0	3.3dc	3.6	11.88	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>LD20-10B05[*r]</b>	100 - 240 Vac	50-60	0	5dc	3.6	18	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>LD20-10B12[*r]</b>	100 - 240 Vac	50-60	0	12dc	1.67	20	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>LD20-10B15[*r]</b>	100 - 240 Vac	50-60	0	15dc	1.33	20	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>LD20-10B24[*r]</b>	100 - 240 Vac	50-60	0	24dc	0..833	20	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>LD20-10BX5[*r]</b>	100-240ac	50-60	0	5.2dc	3.6	18.7	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
<b>LH05-10B03, LB03-10B03</b>	100-240ac	50-60	0	3.31dc	1.66	4.2	3	60950-1	20B	0	1
<b>LH05-10B05, LB03-10B05</b>	100-240ac	50-60	0	5dc	1.56	5.5	3	60950-1	20B	0	1
<b>LH05-10B09, LB03-</b>	100-240ac	50-60	0	9.5dc	0.7	5.24	3	60950-1	20B	0	1

<b>10B09</b>												
<b>LH05-10B12, LB03-10B12</b>	100-240ac	50-60	0	12.1dc	0.6	6.54	3	60950-1	20B	0	1	
<b>LH05-10B15, LB03-10B15</b>	100-240ac	50-60	0	15.1dc	0.57	6.82	3	60950-1	20B	0	1	
<b>LH05-10B24, LB03-10B24</b>	100-240ac	50-60	0	23.8dc	0.37	7.14	3	60950-1	20B	0	1	
<b>LH05-13B03</b>	100-277ac	50-60	3	3.3dc	1.25	4.125	3	60950-1, 2nd Ed + AM1	20B	0	0	
<b>LH05-13B05</b>	100-277ac	50-60	3	5.0dc	1.0	5.0	3	60950-1, 2nd Ed + AM1	20B	0	0	
<b>LH05-13B09</b>	100-277ac	50-60	3	9.0dc	0.55	4.95	3	60950-1, 2nd Ed + AM1	20B	0	0	
<b>LH05-13B12</b>	100-277ac	50-60	3	12.0dc	0.42	5.04	3	60950-1, 2nd Ed + AM1	20B	0	0	
<b>LH05-13B15</b>	100-277ac	50-60	3	15.0dc	0.33	4.95	3	60950-1, 2nd Ed + AM1	20B	0	0	
<b>LH05-13B24</b>	100-277ac	50-60	3	24.0dc	0.23	5.52	3	60950-1, 2nd Ed + AM1	20B	0	0	
<b>LH10-10A05[*r]</b>	100-240ac	50-60	3	5dc	1	5	3	60950-1	20B	0	1	
				-5dc	1	5	3					
<b>LH10-10A12[*r]</b>	100-240ac	50-60	3	12dc	0.45	5.4	3	60950-1	20B	0	1	
				-12dc	0.45	5.4	3					
<b>LH10-10A15[*r]</b>	100-240ac	50-60	3	15dc	0.35	5.25	3	60950-1	20B	0	1	
				-15dc	0.35	5.25	3					
<b>LH10-10A24[*r]</b>	100-240ac	50-60	3	24dc	0.2	4.8	3	60950-1	20B	0	1	
				-24dc	0.2	4.8	3					
<b>LH10-10B03[*r]</b>	100-240ac	50-60	3	3.3dc	2	6.6	3	60950-1	20B	0	1	
<b>LH10-10B05[*r]</b>	100-240ac	50-60	3	5dc	2	10	3	60950-1	20B	0	1	
<b>LH10-10B09[*r]</b>	100-240ac	50-60	3	9dc	1.1	9.9	3	60950-1	20B	0	1	

<b>LH10-10B12[*r]</b>	100-240ac	50-60	3	12dc	0.9	10.8	3	60950-1	20B	0	1
<b>LH10-10B15[*r]</b>	100-240ac	50-60	3	15dc	0.7	10.5	3	60950-1	20B	0	1
<b>LH10-10B24[*r]</b>	100-240ac	50-60	3	24dc	0.45	10.8	3	60950-1	20B	0	1
<b>LH10-10D0505-02[*r]</b>	100-240ac	50-60	3	5dc	1.8	9	3	60950-1	20B	0	1
				5dc	0.2	1	3				
<b>LH10-10D0512-02[*r]</b>	100-240ac	50-60	3	5dc	1.5	7.5	3	60950-1	20B	0	1
				12dc	0.2	2.4	3				
<b>LH10-10D0515-02[*r]</b>	100-240ac	50-60	3	5dc	1.4	7	3	60950-1	20B	0	1
				15dc	0.2	3	3				
<b>LH10-10D0524-02[*r]</b>	100-240ac	50-60	3	5dc	1	5	3	60950-1	20B	0	1
				24dc	0.2	4.8	3				
<b>LH10-13B03[*r]</b>	100-277Vac	50-60	0	3.3Vdc	0-2.0A	0-6.6	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH10-13B05[*r]</b>	100-277Vac	50-60	0	5Vdc	0-2.0A	0-10.0	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH10-13B09[*r]</b>	100-277Vac	50-60	0	9Vdc	0-1.1A	0-9.9	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH10-13B12[*r]</b>	100-277Vac	50-60	0	12Vdc	0-0.9A	0-10.8	3	60950-1, 2nd Ed + AM1	20B	0	-
<b>LH10-13B15[*r]</b>	100-277Vac	50-60	0	15Vdc	0-0.7A	0-10.5	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH10-13B24[*r]</b>	100-277Vac	50-60	0	24Vdc	0-0.45A	0-10.8	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH15-10B03</b>	100-240ac	50-60	0	3.28dc	4.9	13.3	3	60950-1	2T	0	2
<b>LH15-10B05, LH15-10B05-MTL</b>											
	100-240ac	50-60	0	5.1dc	3.9	16.3	3	60950-1	2T	0	2

<b>LH15-10B09</b>	100-240ac	50-60	0	9.1dc	2.2	16.8	3	60950-1	2T	0	2
<b>LH15-10B12</b>	100-240ac	50-60	0	12.1dc	1.6	17.5	3	60950-1	2T	0	2
<b>LH15-10B15</b>	100-240ac	50-60	0	14.9dc	1.7	21.2	3	60950-1	2T	0	2
<b>LH15-10B24</b>	100-240ac	50-60	0	23.9dc	1.5	25.5	3	60950-1	2T	0	2
<b>LH15-10B48</b>	100-240ac	50-60	0	47.5dc	0.5	18.6	3	60950-1	2T	0	2
<b>LH15-10C0505-05&amp;(A129)*r</b>											
	100-240ac	50-60	0	5Vdcdc	2A	10	3	60950-1, 2nd Ed + AM1+AM2	20B	0	2
				+5Vdcdc	0.5A	2.5	3				
				-5Vdcdc	0.5A	2.5	3				
<b>LH15-10C0512-02&amp;(A129)*r</b>											
	100-240ac	50-60	0	5Vdcdc	2A	10	3	60950-1, 2nd Ed + AM1+AM2	20B	0	2
				+12Vdcdc	0.2A	2.4	3				
				-12Vdcdc	0.2A	2.4	3				
<b>LH15-10C0515-02&amp;(A129)*r</b>											
	100-240ac	50-60	0	5Vdcdc	1.8A	9	3	60950-1, 2nd Ed + AM1+AM2	20B	0	2
				+15Vdcdc	0.2A	3	3				
				-15Vdcdc	0.2A	3	3				
<b>LH15-10C0524-01&amp;(A129)*r</b>											
	100-240ac	50-60	0	5Vdcdc	2A	10	3	60950-1, 2nd Ed + AM1+AM2	20B	0	2
				+24Vdcdc	0.1A	2.4	3				
				-24Vdcdc	0.1A	2.4	3				
<b>LH15-13BXX (XX=03, 05, 09, 12, 15, 24, 48 for output voltage)</b>											
	100-277ac	50/60	0	48.65dc	5.060	21.233	4	60950-1, 2nd Ed + AM1	20B	0	0

<b>LH20-10B03[*r]</b>	100-240ac	50/60	3	3.3dc	4.1	13.53	3	60950-1, 2nd Ed	20B	0	1
<b>LH20-10B05[*r]</b>	100-240ac	50/60	3	5dc	3.5	17.5	3	60950-1, 2nd Ed	20B	0	1
<b>LH20-10B09[*r]</b>	100-240ac	50/60	3	9dc	2.1	18.9	3	60950-1, 2nd Ed	20B	0	1
<b>LH20-10B12[*r]</b>	100-240ac	50/60	3	12dc	1.6	19.2	3	60950-1, 2nd Ed	20B	0	1
<b>LH20-10B15[*r]</b>	100-240ac	50/60	3	15dc	1.3	15	3	60950-1, 2nd Ed	20B	0	1
<b>LH20-10B24[*r]</b>	100-240ac	50/60	3	24dc	0.85	20.4	3	60950-1, 2nd Ed	20B	0	1
<b>LH20-10C0505-05*, LH20-10C0512-04*, LH20-10C0515-03*, LH20-10C0524-02*(A134)</b>											
	100-240ac	50/60	-	34.292dc	0.65	15.34	3	60950-1, 2nd Ed+AM1+AM2	20B	0	-
				4.994dc	7.4	31.56	3				
<b>LH20-10D0512-06*(A127)</b>	100-240ac	50/60	-	26.4dc	0.8	18.88	3	60950-1, 2nd Ed+AM1+AM2	20B	0	-
				5.11dc	7.8	34.58	3				
<b>LH20-10D0515-05*(A127)</b>	100-240ac	50/60	-	26.4dc	0.8	18.88	3	60950-1, 2nd Ed+AM1+AM2	20B	0	-
				5.11dc	7.8	34.58	3				
<b>LH20-10D0524-03*(A127)</b>	100-240ac	50/60	-	26.4dc	0.8	18.88	3	60950-1, 2nd Ed+AM1+AM2	20B	0	-
				5.11dc	7.8	34.58	3				
<b>LH20-13B03, LH25-13B03[*r]</b>	100-277ac	50-60	0	3.3Vdc	0-4.1A	0-13.53	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH20-13B05[*r]</b>	100-277ac	50-60	0	5Vdc	0-3.5A	0-17.5	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH20-13B09[*r]</b>	100-277ac	50-60	0	9Vdc	0-2.1A	0-18.9	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH20-13B12[*r]</b>	100-	50-60	0	12Vdc	0-1.6A	0-19.2	3	60950-1, 2nd	20B	0	0

	277Vac							Ed + AM1			
<b>LH20-13B15[*r]</b>	100-277ac	50-60	0	15Vdc	0-1.3A	0-19.5	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH20-13B24[*r]</b>	100- 277Vac	50-60	0	24Vdc	0-0.85A	0-20.4	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH25-10B03[*r]</b>	100-240ac	50/60	3	3.3dc	4.1	13.53	3	60950-1, 2nd Ed	20B	0	1
<b>LH25-10B05[*r]</b>	100-240ac	50/60	3	5dc	4.1	20.5	3	60950-1, 2nd Ed	20B	0	1
<b>LH25-10B09[*r]</b>	100-240ac	50/60	3	9dc	2.5	22.5	3	60950-1, 2nd Ed	20B	0	1
<b>LH25-10B12[*r]</b>	100-240ac	50/60	3	12dc	2.1	25.2	3	60950-1, 2nd Ed	20B	0	1
<b>LH25-10B15[*r]</b>	100-240ac	50/60	3	15dc	1.6	24	3	60950-1, 2nd Ed	20B	0	1
<b>LH25-10B24[*r]</b>	100-240ac	50/60	3	24dc	1.1	26.4	3	60950-1, 2nd Ed	20B	0	1
<b>LH25-10B48[*r]</b>	100-240ac	50/60	3	48dc	0.5	24	3	60950-1, 2nd Ed	20B	0	1
<b>LH25-13B05[*r]</b>	100- 277Vac	50-60	0	5Vdc	0-4.1A	0-20.5	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH25-13B09[*r]</b>	100- 277Vac	50-60	0	9Vdc	0-2.5A	0-22.5	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH25-13B12[*r]</b>	100- 277Vac	50-60	0	12Vdc	0-2.1A	0-25.2	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH25-13B15[*r]</b>	100- 277Vac	50-60	0	15Vdc	0-1.6A	0-24	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH25-13B18NP[*r]</b>	100- 277Vac	50-60	0	18Vdc	0-1.4A	0-25.2	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH25-13B24[*r]</b>	100- 277Vac	50-60	0	24Vdc	0-1.1A	0-26.4	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH25-13B48[*r]</b>	100- 277Vac	50-60	0	48Vdc	0-0.5A	0-24	3	60950-1, 2nd Ed + AM1	20B	0	0



<b>LH40-10A05, LH40-10A12, LH40-10A15, LH40-10D0512-13, LH40-10D0524-06</b>											
	100-240ac	50/60	0	5.02dc	11.0	50.2	2	60950-1, 2nd Ed+AM1+AM2	20	0	0
<b>LH60-20B05[*r]</b>	100-240ac	50/60	0	5dc	10	50	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B05-DT[*r]</b>	100-240ac	50/60	0	5dc	10	50	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B09[*r]</b>	100-240ac	50/60	0	9dc	6.6	60	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B09-DT[*r]</b>	100-240ac	50/60	0	9dc	6.6	60	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B12[*r]</b>	100-240ac	50/60	0	12dc	5.0	60	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B12-DT[*r]</b>	100-240ac	50/60	0	12dc	5.0	60	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B15[*r]</b>	100-240ac	50/60	0	15dc	4.0	60	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B15-DT[*r]</b>	100-240ac	50/60	0	15dc	4.0	60	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B24[*r]</b>	100 - 240ac	50/60	0	24dc	2.5	60	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B24-DT[*r]</b>	100-240ac	50/60	0	24dc	2.5	60	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B48[*r]</b>	100 - 240ac	50/60	0	48dc	1.25	60	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LH60-20B48-DT[*r]</b>	100-240ac	50/60	0	48dc	1.25	60	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LI120-10B12</b>	100-240ac	50/60	0	12.07dc	12.51	143.4	3	60950-1, 2nd Ed+AM1+AM2	20B	1,2	1
<b>LI120-10B24[*r]</b>	100-240ac	50-60	0	24dc	5	120	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
<b>LI120-10B48</b>	100-240ac	50/60	0	48.15dc	3.45	165.9	3	60950-1, 2nd Ed+AM1+AM2	20B	1,2	1

<b>LI24-10B05</b>	100-240ac	50-60	0	5.02dc	5.5	20.8	3	60950-1	20B	0	1
<b>LI24-10B12</b>	100-240ac	50-60	0	11.95dc	3.1	34.0	3	60950-1	20B	0	1
<b>LI24-10B24</b>	100-240ac	50-60	0	23.98dc	1.6	37.0	3	60950-1	20B	0	1
<b>LI240-10B24</b>	100-240ac	50-60	0	23.88dc	13.0	307.2	3	60950-1, 2nd Ed + AM1+AM2	20B	0	1
<b>LI240-10B48</b>	100-240Vac	50-60	0	47.93dc	6.2	294.9	3	60950-1, 2nd Ed+AM1+AM2	20B	0	1
<b>LS01-15BxxS, LS03-15BxxSR2 (c), LS01-15BxxS-F, LS03-15BxxSR2-F</b>											
	100-240ac	50-60	0	24.19dc	0.59	5.8	3	60950-1, 2nd Ed+AM1	20B	0	0
<b>LS03-15B05SR2-F-US[*r]</b>	100-240Vac	50-60	0	5vdc	0-0.400A	2	3	60950-1, 2nd Ed+AM1	20B	0	0
<b>LS03-15BXXSR2S, LS03-15BXXSR2S-F (\$\$)</b>											
	100-240ac	50/60	0	24dc	0.5	3	3	60950-1, 2nd Ed + AM1	20B	0	0
<b>LS03-16BxxSS(-F) (@)</b>	-	-	-	-	-	-	-	-	-	-	-
<b>LS05-15BXXS, LS05-15BXXS-F (\$) [*r]</b>											
	100-240ac	50-60	0	3.3dc	1	3.3	3	60950-1, 2nd Ed + AM1	20B	0	0
				5dc	1	5	3				
				9dc	0.56	5	3				
				12dc	0.42	5	3				
				15dc	0.34	5	3				
				24dc	0.21	5	3				
<b>LS05-15BXXSS (XX=03, 05, 09, 12, 15, 24 for output voltage)</b>											
	100-240ac	50/60	0	24.0dc	3.2	13.9	4	60950-1, 2nd Ed + AM1	20B	0	0
<b>MSB2403D-3W</b>	18-36dc	-	3	-	-	-	3	60950-1	20B	0	0

<b>MSB2405D-3W</b>	18-36dc	-	3	-	-	-	3	60950-1	20B	0	0
<b>MSB2409D-3W</b>	18-36dc	-	3	-	-	-	3	60950-1	20B	0	0
<b>MSB2412D-3W</b>	18-36dc	-	3	-	-	-	3	60950-1	20B	0	0
<b>MSB2415D-3W</b>	18-36dc	-	3	-	-	-	3	60950-1	20B	0	0
<b>MSB2424D-3W</b>	18-36dc	-	3	-	-	-	3	60950-1	20B	0	0
<b>Model LH40-10BXX (\$)</b>	100-240ac	50-60	0	24.01dc	10.92	56.5	3	60950-1, 2nd Ed + AM1	20B	0	2
<b>QA01, QA01-17, QA02, QA03, QA04; QA01-09, QA01-A09[*r]</b>											
	12-24dc	-	-	-8.7 to 15dc	-40 m to +80m	0.15 to 1.5	-	60950-1, 2nd Ed + AM1	-	-	-
				9dc	11.1m to 111m	0.1 to 1	-				
				-9 to +9dc	-55m to +55m	0.1 to 1	-				
				-8.7 to 17dc	-40m to +80m	0.17 to 1.7	-				
				-8.7 to 15dc	-40m to +80m	0.15 to 1.5	-				
				-8.7 to 15dc	-40m to +80m	0.15 to 1.5	-				
				-8 to 15dc	-80m to 100m	0.21 to 2.1	-				
<b>QA01-09</b>	15dc	-	3	14.76dc	0.438	1.6	3	60950-1	-	0	0
<b>QA01-A09</b>	-	-	3	10.98dc	0.513	1.8	3	60950-1	-	0	0
				10.96dc	0.497	1.81	3				
<b>QA01C</b>	15Vdc	-	3	21.08dc	0.21	4.26	3	60950-1, 2nd Ed+AM1+AM2	1	0	0
				-4.53dc	0.60	4.30	3				
<b>TD301D485H, TD301D485H-E</b>	3.3Vdc	-	3	-	-	-	-	60950-1	-	0	0
<b>TD501D485H, TD501D485H-E</b>	5.0Vdc	-	3	-	-	-	-	60950-1	-	0	0

<b>URA2405YMD -6WR3</b>	9-36dc	-	-	+5Vdc	+0.03A~+0.6A	0.3-6W	-	-	-	-	-
<b>URA2405ZP-6WR3[*r]</b>	9-36dc	-	-	+/-5Vdc	0.6	0.3-6	-	-	-	-	-
<b>URA2409ZP-6WR3[*r]</b>	9-36dc	-	-	+/-9Vdc	0.333	0.3-6	-	-	-	-	-
<b>URA2412YMD -6WR3</b>	9-36Vdc	-	-	+12Vdc	+0.012A~+0.25A	0.3-6W	-	-	-	-	-
<b>URA2412ZP-6WR3[*r]</b>	9-36dc	-	-	-	-	-	-	-	-	-	-
<b>URA2415YMD -6WR3</b>	9-36dc	-	-	+15Vdc	+0.01A~+0.2A	0.3-6W	-	-	-	-	-
<b>URA2415ZP-6WR3[*r]</b>	9-36dc	-	-	-	-	-	-	-	-	-	-
<b>URA2424YMD -6WR3</b>	9-36dc	-	-	+15Vdc	+0.01A~+0.2A	0.3-6W	-	-	-	-	-
<b>URA2424ZP-6WR3[*r]</b>	9-36dc	-	-	-	-	-	-	-	-	-	-
<b>URA24XXLD-20WR3 (XX=05, 09, 12, 15 for output voltage.)</b>											
	9-36dc	-	4	-19.55dc	4.3	20.4	3	60950-1, 2nd Ed+AM1+AM2	20	0	0
				14.93dc	4.2	20.4	3				
<b>URA24XXYMD-10WR3 (XX=05, 09, 12, 15, 24 for output voltage)</b>											
	9-36dc	-	3	23.97dc	1.91	11.0	3	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>URA4805YMD-10WR3</b>	18-75dc	-	-	+/-5Vdcdc	1	10	-	-	-	-	-
<b>URA4812YMD-10WR3</b>	18-75dc	-	-	+/-12Vdcdc	0.416	10	-	-	-	-	-
<b>URA4815YMD-10WR3</b>	18-75dc	-	-	+/-5Vdcdc	1	10	-	-	-	-	-
<b>URA4824YMD-10WR3</b>	18-75dc	-	-	+/-24Vdcdc	1	10	-	-	-	-	-
<b>URA48XXLD-20WR3 (XX=05, 12, 15 for output voltage.)</b>											
	18-75dc	-	4	-18.38dc	3.5	17.5	3	60950-1, 2nd Ed+AM1+AM2	20	0	0
				14.83dc	3.3	17.7	3				

<b>URA48XXYMD-6WR3 (XX=05, 12, 15 for output voltage.)</b>											
	18-75dc	-	4	-19.55dc	0.35	5.23	3	60950-1, 2nd Ed + AM1	-	0	0
				15.13dc	0.53	8.00	3				
<b>URA48XXZP-6WR3 (XX=05, 12, 15 for output voltage.)</b>											
	18-75dc	-	4	-15.26dc	0.98	8.2	3	60950-1, 2nd Ed+AM1+AM2	20	0	0
				15.08dc	1.0	8.42	3				
<b>URB1D12LD-15W-KR[*r]</b>											
	40-160dc	-	4	12dc	0.063-1.25	15	3	N/A	N/A	0	0
<b>URB2403LD-30WR3*, URB2405LD-30WR3*, URB2409LD-30WR3*, URB2412LD-30WR3*, URB2415LD-30WR3*, URB2424LD-30WR3*, URB2403LD-30WHR3*, URB2405LD-30WHR3*, URB2409LD-30WHR3*, URB2412LD-30WHR3*, URB2415LD-30WHR3*, URB2424LD-30WHR3*(A143)[*r]</b>											
	9-36Vdc	-	3	3.3-24Vdcdc	1.25-6	-	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URB2403LD-30WR3, URB2405LD-30WR3, URB2409LD-30WR3, URB2412LD-30WR3, URB2415LD-30WR3, URB2424LD-30WR3</b>											
	9-36dc	-	3	5.01dc	8.5	42	3	60950-1, 2nd Ed+AM1+AM2	5	0	0
				24.01dc	1.48	35	3				
<b>URB24XXLD-20WR3 (XX=03, 05, 09, 12, 15, 24 for output voltage)</b>											
	9-36dc	-	3	24.01dc	7.0	28.1	3	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>URB24XXYMD-10WR3 (XX=03, 05, X5, 09, 12, 15, 24 for output voltage)</b>											
	9-36dc	-	3	24.02dc	4.15	16.7	3	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>URB24XXYMD-6WR3* (XX=03, 05, 09, 12, 15, 24 for output voltage, If * is none, it means standard module. If * is A2S, it means chassis mounting. If * is A4S, it means DIN-Rail mounting.)</b>											
	9-36dc	-	3	24.015dc	2.17	7.7	3	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>URB24XXZP-6WR3 (XX=03, 05, 09, 12, 15, 24 for output voltage)</b>											

	9-36dc	-	3	24.08dc	1.95	8.1	3	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>URB4803LD-30WR3*, URB4805LD-30WR3*, URB4812LD-30WR3*, URB4815LD-30WR3*, URB4824LD-30WR3*, URB4803LD-30WHR3*, URB4805LD-30WHR3*, URB4812LD-30WHR3*, URB4815LD-30WHR3*, URB4824LD-30WHR3*. (#2)</b>											
	18-75Vdc	-	4	24Vdc	6 A	30W	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
<b>URB4803LD-30WR3, URB4805LD-30WR3, URB4812LD-30WR3, URB4815LD-30WR3, URB4824LD-30WR3</b>											
	18-75dc	-	4	5.02dc	7.70	37.6	3	60950-1, 2nd Ed+AM1+AM2	3.15	0	0
				23.98dc	1.67	39.1	3				
<b>URB4803YMD-6WR2-DT[*r]</b>	18-75Vdc	-	4	-	-	-	-	60950-1, 2nd Ed + AM1	-	0	0
<b>URB4803ZP-6WR3</b>	-	-	-	3.3Vdcdc	0.075-1.5A	0.2475-4.95W	-	60950-1, 2nd Ed + AM1	-	-	-
<b>URB4805ZP-6WR3</b>	-	-	-	5.0Vdcdc	0.06-1.2A	0.3-6W	-	60950-1, 2nd Ed + AM1	-	-	-
<b>URB4812YMD-15W-KR[*r]</b>	18-75dc	-	0	12dc	0.063-1.25	15	3	60950-1, 2nd Ed+AM1+AM2	N/A	0	0
<b>URB4812ZP-6WR3</b>	-	-	-	5.0Vdcdc	0.06-1.2A	0.3-6W	-	60950-1, 2nd Ed + AM1	-	-	-
<b>URB4815ZP-6WR3</b>	-	-	-	5.0Vdcdc	0.06-1.2A	0.3-6W	-	60950-1, 2nd Ed + AM1	-	-	-
<b>URB4824ZP-6WR3</b>	-	-	-	5.0Vdcdc	0.06-1.2A	0.3-6W	-	60950-1, 2nd Ed + AM1	-	-	-
<b>URB48XXLD-15WR2, URB48XXLD-20WR2 (XX=03,05,12,15,24 for output voltage.)</b>											
	18-75Vdc	-	4	3.3dc	7.2	24.0	3	60950-1, 2nd Ed + AM1	-	0	0
				24.12dc	1.27	30.4	3				
<b>URB48XXLD-20WR3 (XX=03, 05, 09, 12, 15, 24 for output voltage)</b>											
	18-75dc	-	4	23.98dc	6.88	30.6	3	60950-1, 2nd Ed + AM1+AM2	-	0	0

<b>URB48XXYMD-10WR3 (XX=03, 05, 12, 15, 24 for output voltage)</b>											
	18-75dc	-	3	23.93dc	4.0	15.3	3	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>URB48XXYMD-6WR3 (XX=03, 05, 12, 15, 24 for output voltage)</b>											
	18-75dc	-	4	24.05dc	1.84	8.0	3	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>URE2405P-6WR3[*r]</b>	9-36dc	-	3	5dc	0.6 max	3	3	60950-1, 2nd Ed+AM1+AM2	-	0	0
				5dc	0.6 max	3	3				
<b>URE2412P-6WR3[*r]</b>	9-36dc	-	3	12dc	0.25 Max	3	3	60950-1, 2nd Ed+AM1+AM2	-	0	0
				12dc	0.25 Max	3	3				
<b>URE2415P-6WR3[*r]</b>	9-36dc	-	3	15dc	0.2 Max	3	3	60950-1, 2nd Ed+AM1+AM2	-	0	0
				15dc	0.2 Max	3	3				
<b>URE24XXLP-10WR3* ('XX'=05, 12, 15, means output voltage <math>\pm 5Vdc</math>, <math>\pm 12Vdc</math> and <math>\pm 15Vdc</math>. If * is none, it means standard module. If * is A2S, it means chassis mounting. If * is A4S, it means DIN-Rail mounting.)</b>											
	9-36dc	-	4	5Vdcdc	2.3A	10.29	-	60950-1, 2nd Ed+AM1+AM2	-	0	-
				15Vdcdc	0.55A	8.25	-				
<b>URE48XXLP-10WR3* ('XX'=05, 12, 15, means output voltage <math>\pm 5Vdc</math>, <math>\pm 12Vdc</math> and <math>\pm 15Vdc</math>. If * is none, it means standard module. If * is A2S, it means chassis mounting. If * is A4S, it means DIN-Rail mounting.)</b>											
	18-75dc	-	4	8.435Vdcdc	2.15	9.977	-	60950-1, 2nd Ed+AM1+AM2	-	0	-
				16.579Vdcdc	0.661	9.768	-				
<b>URF2403LP-10WR3</b>	9-36dc	-	4	3.3dc	2.4	8.0	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URF2403LP-20WR3, URF2405LP-20WR3, URF2409LP-20WR3, URF2412LP-20WR3, URF2415LP-20WR3, URF2424LP-20WR3.</b>											
	9-36dc	-	0	3.31dc	6.9	17.0	3	60950-1, 2nd Ed+AM1+AM2	N/A	0	0

				15.0dc	1.8	26.5	3				
				24.01dc	0.99	23.7	3				
<b>URF2405LP-10WR3</b>	9-36dc	-	4	5.0dc	2.0	10.0	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URF2409LP-10WR3</b>	9-36dc	-	4	9dc	1.11	10.0	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URF2412LP-10WR3</b>	9-36dc	-	4	12dc	0.83	10.0	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URF2415LP-10WR3</b>	9-36dc	-	4	15dc	0.67	10.0	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URF2424LP-10WR3</b>	9-36dc	-	4	24dc	0.416	10.0	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URF24XP-6WR3 (XX=03, 05, 09, 12, 15, 24 for output voltage)</b>											
	9-36dc	-	3	23.99dc	2.63	12.2	3	60950-1, 2nd Ed + AM1+AM2	-	0	0
<b>URF4803LP-20WR3, URF4805LP-20WR3, URF4812LP-20WR3, URF4815LP-20WR3, URF4824LP-20WR3.</b>											
	18-75dc	-	-	3.3dc	6.8	17.47	3	60950-1, 2nd Ed+AM1+AM2	N/A	0	0
				15.01dc	2.05	30.2	3				
				24.0dc	1.2	28.5	3				
<b>URF4803P-6WR3</b>	18-75dc	-	4	3.3dc	1.5	4.95	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URF4805P-6WR3</b>	18-75dc	-	4	5dc	1.2	6	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URF4812P-6WR3</b>	18-75dc	-	4	12dc	0.5	6	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URF4815P-6WR3</b>	18-75dc	-	4	15dc	0.4	6	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>URF4824P-6WR3</b>	18-75dc	-	4	-	-	-	-	60950-1, 2nd Ed+AM1+AM2	-	0	-
<b>VRA1205YMD-6WR3, VRA1212YMD-6WR3</b>											



	9-18Vdc	-	3	5.01dc	1.7	8.0	3	60950-1, 2nd Ed+AM1+AM2	--	0	0
				12.04dc	0.91	10	3				
<b>VRA2405YMD-6WR3, VRA2412YMD-6WR3, VRA2415YMD-6WR3</b>											
	18-36dc	-	-	5.01dc	1.735	8.3	-	60950-1, 2nd Ed+AM1+AM2	-	-	-
				15.06dc	0.554	8.2	-				
<b>VRA2424LD-30WR2[*r]</b>	18-36Vdc	-	3	24dc	0.032-0.625	0.768-15	3	60950-1, 2nd Ed + AM1	-	0	0
				-24dc	-(0.032-0.625)	0.768-15	3				
<b>VRB2405LD-15WR3, VRB2412LD-15WR3, VRB2415LD-15WR3, VRB2424LD-15WR3.</b>											
	18-36dc	-	3	4.98dc	4.9	19.2	3	60950-1, 2nd Ed+AM1+AM2	--	0	0
				24.12dc	0.855	20.4	3				
<b>VRB2412LD-30WR2, VRB2412LD-30WHR2</b>											
	18-36Vdc	-	3	11.75dc	3.03	35.5	3	60950-1, 2nd Ed + AM1	-	0	0
<b>VRB4805LD-15WR3*, VRB4812LD-15WR3*, VRB4815LD-15WR3*, VRB4824LD-15WR3*; VRB4805LD-15WHR3*, VRB4812LD-15WHR3*, VRB4815LD-15WHR3*, VRB4824LD-15WHR3*(##)</b>											
	36-75dc	-	4	23.98dc	0.864	20.5	3	60950-1, 2nd Ed+AM1+AM2	-	0	-
				5.01dc	4.21	18.2	3				
<b>VRB4812LD-50W*, VRB4812LD-50WH*</b>											
	36-75dc	-	3	12.08dc	5.94	69.53	3	60950-1, 2nd Ed+AM1+AM2	--	0	0
				12.13dc	5.73	67.10	3				
<b>VRD240512MP-8W</b>	24Vdc	-	3	14.8dc	0.9	6.8	3	60950-1	-	0	0
				4.9dc	2.1	6.0	3				
<b>WRB0505S-1WR2[*r]</b>	4.5-9dc	-	3	5dc	0.2	1	3	60950-1, 2nd	N/A	0	0

									Ed+AM1+AM2			
<b>WRB2405P-3WR2, WRB2405ZP-3WR2[*r]</b>												
	18-36dc	-	3	5Vdc	0.6A	3	3	60950-1, 2nd Ed + AM1	20B	0	-	
<b>WRF2405P-3WR2[*r]</b>	18-36dc	-	3	5Vdc	0.6A	3	3	60950-1, 2nd Ed + AM1	20B	0	0	
<b>WRF2415P-3WR2, WRB2415P-3WR2,WRB2415ZP-3WR2</b>												
	18-36dc	-	3	15.05dc	0.53	5.5	3	60950-1, 2nd Ed + AM1	1	0	0	

[\*r] - Output values are rated.

#2 - If \* is none, it means standard module. If \* is A2S, it means chassis mounting. If \* is A4S, it means DIN-Rail mounting. Model name with letter ?H?, it means enclosure with heatsink. Model name without letter ?H?, it means enclosure without heatsink

(##) - \* is variable, If \* is blank, it means standard module or heat sink mounting. Letter 'H' in model name means heat sink mounting. If \* is A2S, it means chassis mounting. If \* is A4S, it means DIN-Rail mounting

(#) - Where A, D, E represents dual output; B, F represents single output; XX represents 05, 12, 24 (dc input voltage; YY represents 05, 09, 12, 15 (dc output voltage); Z1 = S (for SIP) or D/XD (for DIP), Z2 = S/LS (for SIP) or D/LD/XD (for DIP), T denotes SMD

(#1) - Where D represents dual output; XX represents 05, 12, 24 (dc input voltage; YYYY represents 05, 09, 12, 15 (dc output voltage, e.g. 0505 denotes 05 Vdc); Z = S (for SIP), or D (for DIP).

(\$\$) - (XX=03, 05, 09, 12, 15, 24 for output voltage)

(\$) - Where XX = 03,05, 09,12,15,24 for output voltage)

(&) - where XX-represents the DC input voltage,03 is 3.3 Vdc; 12 is 12 Vdc; 24 is 24 Vdc; YY-represents the DC output voltage,03 is 3.3 Vdc; 05 is 5 Vdc; 09 is 9 Vdc;12 is 12 Vdc; 15 is 15 Vdc; 24 is 24 Vdc; XT-represents the package style, XT is SMD.

(\*\*) - where XX=05, 09, 12, 15, 24 for output voltage, Y=S, LS, represents the package style, S&LS is SIP

(@) - xx = 03 or 05 or 09 or 12 or 15 or 24,which indicates different output rating.-F is optional

(a) - Where E represents dual output; YY represents 05, 09, 12 or 15 (dc output voltage); Z = S (for SIP) or D ( for DIP).

(a1) - Where G represents dual output; YY represents 05, 09, 12 or 15 (dc output voltage); Z = T (for SMD) or D (for DIP).

(A127) - If \* is none, it means standard module. If \* is A2/A3, it means chassis mountin. If \* is A4, it means DIN-Rail mounting

(A129) - (variable "&" can be none, A2, A3 or A4. If "&" is none, it means standard module; if "&" is A2 or A3, it means chassis mounting; if "&" is A4, it means DIN-Rail mounting.)

(A134) - If \* is none, it means standard module. If \* is A2/A3, it means chassis mounting. If\* is A4, it means DIN-Rail mounting.



(A143) - (If \* is none, it means standard module. If \* is A2S, it means chassis mounting. If \* is A4S, it means DIN-Rail mounting. Model name with letter "H", it means enclosure with heatsink. Model name without letter "H", it means enclosure without heatsink)

(b) - Where F represents single output; YY represents 05, 09, 12 or 15 (dc output voltage); Z = S (for SIP) or D ( for DIP).

(b1) - Where H represents single output; YY represents 05, 09, 12 or 15 (dc output voltage); Z = D (for DIP) or T (for SMD).

(c) - Where xx=05, 09, 12, 15, 24 for output voltage



Marking: Company name or trademark  , model designation and the Recognized Component Mark,  on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2017-04-27

---

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

◆ 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".