



ATTESTATION OF CONFORMITY

Attestation No. 22AE110914E004

The submitted sample of below equipment has been tested in according to Electromagnetic Compatibility Directive 2014/30/EU with the following standards. The test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the principal protection requirement of the EC Council Directive of 2014/30/EU.

Report No. : E01A22110914E00401
Applicant : MORNSUN GUANGZHOU SCIENCE & TECHNOLOGY CO.,LTD.
Address : NO.8, NANYUN ROAD 4, HUANGPU DISTRICT, GUANGZHOU
GUANGDONG 510670, CHINA
Manufacturer : Same as applicant
Address : Same as applicant
Description of Product : AC-DC converter
Model No. : See next page for detail
Trade Mark : 
Input Rating : 100-240V~ or 200-240V~, 2.5A, 50/60Hz
Output Rating : See next page for detail
Test Standards : EN 55032:2015/A1:2020
EN 55035:2017/A11:2020
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A2:2021

After preparation of the necessary technical documentation as well as the EU declaration of conformity, the CE marking as below can be affixed on the product if all relevant effective EU-directives or regulations related to CE marking have been complied with. The EU declaration of conformity is issued under the sole responsibility of the applicant or manufacturer.



Date of Issue: February 24, 2023

This attestation of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the production of the products.

Dongguan Anci Electronic Technology Co., Ltd.

Add.: 1-2 Floor, Building A, No.11, Headquarters 2 Road, Songshan Lake

Hi-tech Industrial Development Zone, Dongguan City, Guangdong Pr., China.

Web: www.gtgroup.com E-mail: info@gtgroup.com Tel:86-4007558988

Attachment

Model list:

Table A: Definition of Variables		
Variables	Range of variable	Content
XXX	045-055, 114-126, 228-252, 266-294, 342-378, 456-504	3 digits number, means output voltage; eg. 045=4.5Vdc, 504=50.4Vdc
YYY	A~Z any letter or 0~9 any number	1 or 2 or 3 digits numbers, Represents non-security-related changes.

Table B: Model list					
Model	Input	Rated output voltage (Vdc)	Rated output current (A)	Max. rated output power (W)	Transformer
LMF200-23B05UH LMF200-23B05UH-C LMF200-23B05UH-YYY LMF200-23B05UH-C-YYY LMF200-23B05UHR-C LMF200-23B05UHR LMF200-23B05UHR-C-YYY LMF200-23B05UHR-YYY	100-240V~, 2.5A, 50/60Hz	5.0	40.0	200.0	51503108 (A/0-A/9, B/0-B/9)
LMF200-23B12UH LMF200-23B12UH-C LMF200-23B12UH-YYY LMF200-23B12UH-C-YYY LMF200-23B12UHR-C LMF200-23B12UHR LMF200-23B12UHR-C-YYY LMF200-23B12UHR-YYY		12	16.7	200.4	51503109 (A/0-A/9, B/0-B/9)
LMF200-23B24UH LMF200-23B24UH-C LMF200-23B24UH-YYY LMF200-23B24UH-C-YYY LMF200-23B24UHR-C LMF200-23B24UHR LMF200-23B24UHR-C-YYY LMF200-23B24UHR-YYY		24	8.4	201.6	51503243 (A/0-A/9, B/0-B/9)

LMF200-23B28UH LMF200-23B28UH-C LMF200-23B28UH-YYY LMF200-23B28UH-C-YYY LMF200-23B28UHR-C LMF200-23B28UHR LMF200-23B28UHR-C-YYY LMF200-23B28UHR-YYY		28	7.15	200.2	
LMF200-23B36UH LMF200-23B36UH-C LMF200-23B36UH-YYY LMF200-23B36UH-C-YYY LMF200-23B36UHR-C LMF200-23B36UHR LMF200-23B36UHR-C-YYY LMF200-23B36UHR-YYY		36	5.6	201.6	51503244 (A/0-A/9, B/0-B/9)
LMF200-23B48UH LMF200-23B48UH-C LMF200-23B48UH-YYY LMF200-23B48UH-C-YYY LMF200-23B48UHR-C LMF200-23B48UHR LMF200-23B48UHR-C-YYY LMF200-23B48UHR-YYY		48	4.2	201.6	51503245 (A/0-A/9, B/0-B/9)
LMF200-23BXXXUH LMF200-23BXXXUH-C LMF200-23BXXXUH-C-YYY LMF200-23BXXXUH-YYY LMF200-23BXXXUHR LMF200-23BXXXUHR-C LMF200-23BXXXUHR-C-YYY LMF200-23BXXXUHR-YYY		4.5-5.5	0.01-40.0	200	51503108 (A/0-A/9, B/0-B/9)
		11.4-12.6	0.01-16.7	200.4	51503109 (A/0-A/9, B/0-B/9)
		22.8-25.2	0.01-8.4	201.6	51503243 (A/0-A/9, B/0-B/9)
		26.6-29.4	0.01-7.15	200.2	
		34.2-37.8	0.01-5.6	201.6	51503244 (A/0-A/9, B/0-B/9)
		45.6-50.4	0.01-4.2	201.6	51503245 (A/0-A/9, B/0-B/9)